



B&P

Barabino & Partners UK plc

Management Consulting - Brand, Corporate and Financial Communication



for **assocarboni**

DOCUMENTATION CONTAINED IN THE FOLDER

ASSOCARBONI

- The production of electricity and coal: the anomaly of the Italian case Page 1
- The advantages of coal Page 5
- Coal and environmental impact Page 8
- Coal plants in Italy Page 11
- Highlights of the Association Page 13

Contact: Barabino & Partners UK Plc.
Giovanni Sanfelice di Monteforte
g.sanfelice@barabino.co.uk
Pietro Como
p.como@barabino.co.uk
Phone: +44 207 15 26 425

Rome/London, March 2011



ASSOCARBONI

The production of electricity and coal: the anomaly of the Italian case

Coal in the world: 41% in 2009

41% of the electricity in the world is produced from coal against 6.5 billions tons of coal production, which is an increase of 8% compared to 2009.

... in Europe: 33%

In Europe 33% of the electricity is produced from coal - this percentage is stable compared to 2006 - and 30% from nuclear energy.

Italy is the only European country that while not using nuclear power has got a coal use percentage extremely low.

... in Italy: 12%

Italian electricity production is unique in Europe: if in general

the average of electricity production is for 60-70% generated from a mix of coal and nuclear power, **in Italy gas has got the predominance:** in 2010 the electricity production still came from gas for 60%, from burning oil for 8%, from coal for 12% and from renewable for 20%.


Beyond the small share of coal in the market in Italy coal is affected by the effects of poor communication about it. Italians are indeed poorly informed on modern technologies of handling and combustion available today in Italy and **capable of making coal** a primary source of electricity which is perfectly compatible with the environment.

The European energy mix

In order to maintain the security and the competitiveness of energy resources **Europe expressed its intention to** limit its own electricity production from gas under 37.3% and to **maintain at least 45,4% from nuclear and coal also in 2020.**

This because, according to European Union's valuations, **without an energy policy in the next 20 to 30 years 70% of energy consumption will be covered by imported products from countries politically instable.**

ASSOCARBONI Electric Energy resources



Source: IEA

**The Italian energy mix**

These predictions are already matter of concern in Italy since it is the only Country in the world to depend on gas for electricity production for more than 60%, importing 85% from abroad above all from Algeria and Russia.

The strong dependence on imported electricity is intended to grow gradually and constantly in the next years.

An anomaly: the strong dependence from gas

Whereas Europe will continue to base its electricity production by at least 60% on nuclear and coal power, Italy will rely, by the same percentage, on natural gas with the significant implications that will have in terms of safety of supply and the competitiveness of different sources.

Italian electric system is indeed forced to accept gas prices fixed by the “duopoly” because there are no real alternative sources because of the distance and consequently of too high transport costs. In fact natural gas to be brought into Italy by pipeline comes from Algeria and Russia which are considered highly unstable politically.

The energy bill

In 2010 Italy has shown signals of recovery from the financial crisis, although at a slower pace than other countries, that led to a higher level of energy consumption (+1,6% compared to 2009, but still at 1988 levels).

2010 Italian energy bill has been estimated to be about € 51.7 billions, an increase of € 9.3 billions from previous year. Its weight on GDP, considered far too much in 2009, has reached 3.3%, compared to the average figure of 1.5% in 1990s. In 2010, coal's prices on international exchanges have shown a significant recovery. In December closing prices on Newcastle, Richards Bay and Rotterdam were \$119.47/t, \$115.5/t and \$122.31/t respectively, an increase by 25%, 34% and 42%.

ASSOCARBONI**Estimate of the energy bill in Italy**

(million Euro)	1981	1985	1990	2000	2005	2008	2009	Estimate 2010
Solid fuels	790	1,167	731	1,009	1,892	2,927	1,782	2,200
Natural Gas	1,106	2,803	1,859	7,834	12,194	22,253	17,096	19,000
Oil	13,094	15,570	8,561	18,653	22,411	32,474	20,507	27,000
Other	300	603	867	1,524	2,136	1,948	2,458	2,700
Biofuels						335	534	800
Total energy bill								
millioni Euro nominal	15,290	20,143	12,018	29,020	38,633	59,938	42,377	51,700
million Euro real 2009	55,986	45,906	20,786	34,983	41,666	61,293	43,013	51,700
% Turnover VS PIL	6.3	4.7	1.7	2.4	2.7	3.8	2.8	3.3



The fall in the oil prices in the early 2009 and the economic downturn have contributed to lighten the average Italian energy bill, that nevertheless **is still high relative to the GDP (2.7%)** and much higher than other European countries' ones.

In 2009 the international prices of coal fell considerably, as a result of the global recession. Cif Ara reached an average value of 70\$/t, against 147-148\$/t in 2008, whereas Richards Bay almost halved (from about 121 to 64\$/t). The quotation prices of coal are however more stable than oil, that is subject to greater speculation. As a matter of fact, WTI and Brent dived from 45 to 80\$/b last December, while coal fluctuated between 60 and 80\$/b.


The global trend appears to be toward **increasing thermoelectric power production from coal**, due to its lower and more stable prices.

These consequences are particularly experienced by **industries**: according to the latest annual report of the Energy Authority **Italian enterprises are forced to cope with prices above the European average**, with negative effect on the competitiveness in particular in energy-intensive sectors characterised by high energetic consumptions (such as paper, steel etc.).

The incapability to face an energy emergency


Our Country is also affected by infrastructural gaps with regards to the regasification plants (with the only exception of the plant in Rovigo, in production since 2009). At present, Italy doesn't seem to be able to face a potential energy emergency, as it is the only European country not provided with appropriate plants – despite the fact that the usage of regasification technology in Europe is equivalent to 50% of the domestic consumption on average.

ASSOCARBONI
Energy prices for industries



Source: data processed by AEEG

ASSOCARBONI
Current ratio between regasification capacity and gas consumptions



* *3% of Panigaglia to which is added 2% under construction in Rovigo
Source: AEEG



B&P

Barabino & Partners UK plc

Management Consulting - Brand, Corporate and Financial Communication



for **assocarboni**

World Energy Outlook 2010

According to the “World Energy Outlook 2010” published by the International Energy Agency (IEA), the **global need for energy is expected to grow** at an average annual rate of 1.4%, 49% until 2035 – from little more than 495 quadrillion of Btu in 2007 to 739 quadrillion of Btu in 2035.

Non-OECD countries’ energy consumption has exceeded OECD countries’ one for the first time because of the financial crisis, which still has enduring effects on Europe, Japan and the USA. In next years the demand for energy is expected to grow at a faster rate because of developing countries.

Fossil fuels remain the dominant source of primary energy in the world, and represent more than three quarters of the global energy consumption growth between 2007 and 2030.

In absolute terms, **coal holds the highest demand growth rate in the examined period**, and it is calculated to account for about 44% of the total demand for energy. Nonetheless, according to IEA, steeper growth in coal’s usage is expected from 2020 onward.

According to IEA’s estimates, 20% of the world population (1.4 billion people) still has no access to electricity. Within “New Politics” scenario described by IEA in World Energy Outlook 2010, forecasts indicate persisting long-term issues: it has been foreseen that 1.2 billion people will not yet be able to access electricity in 2030.

Economic growth is tightly related to a larger use of electricity. Because of its great availability of resources, security of supply and competitive costs, coal is the combustible that can supply ever-increasing demand for energy worldwide at best.



ASSOCARBONI
The advantages of coal

Coal is characterised by:

- **Security of supply and price predictability;**
- **Wide and long-lasting reserves;**
- **Cost-effectiveness;**
- **Labour intensiveness;**
- **Safety in transportation, storage and handling;**
- **Environmental friendly.**

Coal reserves in more than 100 countries...

Gas reserves are located in a few countries, instable on the political level, such as **Algeria and Russia**. World reserves of **coal** are geographically distributed in **more than 100 countries** and its reserves are placed in **very different areas** also from the point of view of **national political stability**.


... and for about 160 years

Several studies show that **security of supply from coal reserves is 2 times better than from natural gas and 3.5 times better than from oil**. Coal can guarantee supply for about 160 years.

Lower production costs

Coal's high competitiveness in energy mix is not only due to its elevated distribution in the world but also to its very competitive production costs.

ASSOCARBONI
Security of supply: World reserves



Source: BP Amoco Statistical Review




It's been verified that the nuclear/coal generation cost is 20% lower than the combined cycle gas one. According to the latest survey from the Regulatory Authority for Electricity and Gas, the costs for electric energy production are:

- **2,18 Eurocents/Kwh from coal;**
- **5,51 Eurocents/Kwh from oil;**
- **6,34 Eurocents/Kwh from natural gas.**

This competitiveness is also due to **coal fixed cost, that is about 22% lower than other sources of generation. More than 62% of the Italian energy bill may be ascribed to supply costs.**

According to the Italian Authority, if Italian electric plants used as much coal as the rest of Europe, fuels cost on the entire amount of Kwh would decrease by 10%. Moreover if every Italian plants used coal, the Kwh would fall by 20%.

ASSOCARBONI
 % Composition of electric charges for consumer



Source: elaboration on AEEG data

An intensive labour source

Though **electric energy production from coal** is the most competitive in Italy today, it is “**labour intensive**” with a **work force ration of 3:1** when comparing a coal-based power station with a combined cycle natural gas power station.

Kind of plant	Power	Personal consistency
Coal	4 sections of 300 Mw	487 assigned 0,37 assigned for Mw
Oil	4 sections of 320 Mw	311 assigned 0,24 assigned for Mw
Natural Gas CC	2 sections of 345 Mw	100 assigned 0,14 assigned for Mw



B&P

Barabino & Partners UK plc

Management Consulting - Brand, Corporate and Financial Communication



for **assocarboni**

No risks for workers

Moreover the Industrial Department of **University of Brescia has carried on an Investigation about work risks in a coal plant**, monitoring the environment every year since 1987. **The analysis of the results of 15 years of activity has confirmed the absence of pathologies or diseases** in workers of the coal plant.

...and agriculture

In 2008 Nomisma Energia issued a report entitled "Coal plants and Agriculture", that underlined that coal plants have no impact on the pollution concentration level in the surrounding grounds.

Security for transport by sea...

As far as transport and use are concerned, coal guarantees high level of security thanks to the fact that it is nor inflammable, nor explosive, nor pollutant for the ground and the water.

In 1997 the International Maritime Organization (I.M.O.) approved the exclusion of coal, as opposed to oil and natural gas, **from the list of substances at risk and potentially harmful when transported by sea**. If a ship full of coal capsizes, then the coal would deposit itself on the bottom of the sea without causing any damage.

..and by land

As for the storage and handling of coal on land, there exist adequate techniques and equipment for covering and protecting both conveyor belts and storage facilities. These techniques are used in Italy and they reduce the spreading of dust, even in conditions of significant atmospheric turbulence.



ASSOCARBONI

Coal and environmental impact

Environmental friendly

The less known coal's characteristic is for sure its environmental friendly quality, according to present laws.

That is particularly true in Italy, where **9 out of 13 coal plants have EMAS certification – the European environmental certification**, more severe compared with ISO 14001. We are talking about 84% of the coal installed power (equal to about 9.500 Mw of power).

40% average of productivity

These plants excel also according to efficiency, with a **productivity of 40% compared with 35% of the European average and with 25% of Continental Europe**. Coal plants are even more productive with a performance of 46%.

The modern coal plants in Torrevadalliga e Vado Ligure have already reached an efficiency rate of 46% and are among the most innovative plants in Europe.

The investments aimed at cutting pollution follow two lines of action:

- **The reduction** of polluting emissions thanks to increasingly sophisticated systems for the treatment of fumes, including de-sulphurisation and de-nitrification units, plus dust extractors;
- **The prevention** of the formation of polluting emissions at their origin through innovative techniques and processes which improve energy efficiency.

The results of these investments are a rapid and significant reduction of all polluting emissions, achieving the following goals:

- **70% reduction** in emissions of sulphur dioxide (SO₂) when compared with the rate of 20 years ago. Today sulphur dioxide emissions are equivalent at 100 mg/Nm³. Recent legislations have fixed maxima at 200 mg/Nm³;
- **Strong reduction in nitrogen oxides (NO_x)**. A first important decrease of nitrogen oxides emissions was registered during the 90s and today they can be valued at 100 mg/Nm³, a value **clearly lower than the one imposed by law** (the limit is fixed at 200 mg/Nm³) ;
- **Reduction of dusts emissions**: in the **90s they were reduced of 63%**, in 2003 **another reduction of 75%** has been registered. Today dusts amount at around 15 mg/Nm³ (the total reduction is not foreseen by the law) while the limit is 30 mg/Nm³;
- **100% recovery of ash and chalk**. They can be easily reused for the production of pilling, cement, street paving and for the production of building material.



The coal and Kyoto

Moreover in 2000, 10 years before the Kyoto Conference established its objectives, Italian coal plants had reduced carbon anhydride (CO₂) emissions of 7,6%.

In consideration of Kyoto objectives the Association has ordered a study on CO₂ emissions to the Experimental Station for Fuels, Milan, in order to analyse the effective CO₂ emissions – during the entire life cycle.


In particular the study compares CO₂ coal and gas emissions not only during the combustion, but also in the pre-combustion phases.

The comparison of the whole life cycle decrease therefore the distances: the greenhouse gases total emissions would result between 510 and 670 grams of CO₂-equiv./kWh for gas (420 if the gas would be produced in Italy) and between 780 and 910 grams of CO₂-equiv./kWh for coal.

In fact, the pre-combustion data underline a higher level of CO₂ emission for gas, with peaks of 288 gr of CO₂-equiv./kWh in the Russian gas case. While, for coal, the emission recorded are equal to 127 gr of CO₂-equiv./kWh in the case of extractions from underground mines and just 12 gr of CO₂-equiv./kWh for mines on the surface.

ASSOCARBONI

CO₂ emissions in the entire life cycle





The research


Aiming at increasing the compatibility of coal with the environment and the electric production efficiency, **several research initiatives have been launched in all major countries.**

ENEL's pilot plant in Brindisi

Among the recent most innovative projects there is the one launched by ENEL, in collaboration with ENEA and ITEA to build a **demo plant for CO₂ capture and storage in Brindisi.** The plant, unveiled in March 2011, with an initial

ASSOCARBONI

The "carbon capture"



cost of €20 millions, is the first in Italy and will be able to store 8,000 tonnes of CO₂ each year. The projects, which involves, other than the capture of CO₂ from plant's smokes, the compression, the transport and the geological transportation in a salt water bearing, is one of the most advanced in the world for the demonstration on pre-commercial scale of CCS: implemented on a smaller scale in Brindisi, operating from 2012, it is going to be developed at Porto Tolle's plant, which will be implemented and able to operate from 2015. Enel, which is carrying out the experiment in collaboration with Eni, obtained a first incentive of € 100 million from European Union as it falls in the European Economic Recovery Plan.

Porto Tolle project

Adding to that, the **ENEL plant in Porto Tolle** is planned to be converted to coal, as one of the six CCS projects which will benefit from European funding.

Total funding estimated for the installation of the new CCS technology on a 660 MW coal unit is Euro 100 million. The capture system will be able to treat emissions corresponding to 250 MW of electricity generation.



ASSOCARBONI Coal plants in Italy

Imports

Italy imports via sea about 90% of its coal demand, on a fleet composed by 60 ships with a carrying capacity of 4,6 million of tons. **Import countries are different:** the main ones are the USA, South Africa, Australia, Indonesia and Colombia, but there are also Canada, Cina, Russia and Venezuela.

Sulcis

The only coal source in Italy is located in Sulcis Iglesias basin, in South-West of Sardinia. In 1972 mining activities in this basin were suspended but since 1997 the basin has been studied by several researchers in order to evaluate new solutions to use in an environmental friendly way the coal of Sulcis. At present, the production is about 1 Million tons yearly.

Italian operators have in pipeline projects for the conversion of coal of a big part of their production and for the deployment of existing plants never used for coal combustion.

Today in Italy there are 13 coal plants:

ASSOCARBONI Coal plants in Italy

- Plant of **North Brindisi (BR)** owned by EDIPOWER SpA. The company Uses coal in 2 sections of 320 MW.
- Plant of **Fiumesanto (SS)**: owned by E.ON ITALIA, has got 2 sections of 320 MW.
- Plant of **Monfalcone (GO)** in Friuli Venezia Giulia region: owned by A2A, is made of 4 sections, two fuelled by coal of 165 and 171 MW and two by burning oil of 320 MW.



- Plant of North **Torrevaldaliga (Civitavecchia, RM)** owned by ENEL SpA, is composed by three sections of 660 MW, that have been completely converted from oil to coal. The plant is in production since 2009.



- Plant of **Vado Ligure**, owned by TIRRENO POWER, is made of 4 sections of which two of 330 MW each fuelled by coal. The project for the construction of a new high-efficiency coal unit of 460 MW, consisting in the substitution of existing sections as well as the realization of a new unit, has been approved by Regione Liguria in March 2010.
- Plant of **Brescia** owned by ASM of Brescia is made of one section of 70 MW and is fuelled by coal.
- Plant of **South Brindisi**, owned by ENEL, is made of four sections of 660 MW each fuelled by coal. A 50MW pilot plant for geological capture and storage of CO₂ has been unveiled in March 2011. The construction of this plant falls in the agreement signed by Eni and Enel in October 2008 aimed at developing the following technology on an industrial scale.
- Plant of **Genoa**, owned by ENEL SpA, is made by two units fuelled by coal, one of 295 MW.
- Plant of **Sulcis** owned by ENEL SpA, is made of one unit of 240 MW fuelled by coal.
- Plant of **Fusina (Veneto)** owned by ENEL SpA, is made of one unit of 165 MW, one of 171 MW, and two of 320 MW fuelled by coal.
- Plant of **Marghera** owned by ENEL SpA is made of two units of 70 MW fuelled by coal.
- Plant of **La Spezia** owned by ENEL SpA is made of four units of which one is of 600 MW and is fuelled by coal.
- Plant of **Bastardo (Perugia)** owned by ENEL SpA is made of two units of 75 MW fuelled by coal.

In addition to the 13 existing coal plants, the following projects:

- The plant in **Porto Tolle**, owned by ENEL, obtained the VIA (Environmental Impact Assessment) from Regione Veneto, that allows the conversion of 4 oil groups into 3 high-efficiency (> 45%) coal groups, with a total power of 1,980 MW.
- The **SEI project** in Saline Joniche will count on a plant, **fuelled by coal dust**, equipped with two twin lines with a total power of 1,320 MWe. The plant will reach a very high efficiency (more than 45%), by reducing the coal consumption and the emissions that will be remarkably lower than law limits (-50%).

In October 2010 VIA (Environmental Impact Assessment) Commission gave the authorization to proceed with works.



ASSOCARBONI
Highlights of the Association

The Association

Founded in 1897 the Association, with more than 90 member companies, is the only association representing the entire coal value chain from coal mining groups to electricity and steel producers, cement manufacturers, shipping firms, terminal operators, maritime agents, surveyors, engineering companies, boiler makers, bulk handling equipment manufacturers.

Fast facts 2010

Turnover:	6 billion Euros	
Induced turnover:	500 million Euros	
Coal imports:	2.500 billion Euro per year	
Employees:	9,000, of which:	direct: 6,000 undirect: 3,000
Members:	over 90	

Italian commitment

With its headquarter in Rome, Italy, and with a representation in London and Brussels, on a national level the Association is a member of the Employers Association Energy Group and sits on the Board of Directors of the Fuel Experimental Station of Milan (a leading fuel research entity within the Ministry of Industry and Trade).

International commitment

On an international level, Assocarboni is member of Euracoal (European Association for Coal and Lignite), of CAG (Coal Advisory Group) - a European Commission working group involved in coal research grants - of WCI (World Coal Institute) in London, of CIAB (Coal Industry Advisory Board) - a section of the International Energy Agency of Paris, which brings together more than 40 companies (both energy producing and electric generation companies) from 14 different countries - and of the "Working Party on Coal" of the ECE-UN Energy Committee in Geneva.

The chairman

Since 1999 Andrea Clavarino is the Assocarboni Chairman. Mr. Clavarino has been working with the Coeclerici Group since 1980, where he holds today the position of **Coeclerici Logistics CEO**. Mr Clavarino is also **member of the CIAB - Coal Industry Advisory Board, the consultative body of the International Energy Agency of Paris.**